

STRAND WOVEN BAMBOO

OUTDOOR DECKING AND CLADDING

UPGRADE TO THE NEW GENERATION OF
DECKING & CLADDING



LAMIWOOD
FLOORS



MAKING YOUR EXPERIENCE

A MASTERPIECE

**An ecological breakthrough, made from
compressed thermally treated bamboo
strips**



Strand Woven Bamboo Decking & Cladding from “The Lamiwood Floors” carries an industry leading 30 years warranty

LAMIWOOD® Strand Woven Bamboo is an extremely stable Decking, Cladding material with a look resembling that of traditional hardwoods.



TECHNICAL CHARACTERISTICS


















Extreme heat treatment change the molecular order of bamboo fibers, to guarantee the fungus, worm eggs and all nutrients be removed and featured with super mothproof, anti-corrosion and anti-mildew effects.




Self-developed drying technique

To ensure the moisture content of bamboo stripes are equal from inside out, which the water does not accumulate inside the strips, and this environment will be hard for fungi to grow.

JANKA HARDNESS & DENSITY RATING SCALE

Type		Janka Rating
Strand Woven Bamboo		4000-5000
Brazilian Walnut (Ipe)		3680
Brazilian Teak (Cumaru)		3540
Brazilian Cherry (Jatoba)		2350
Santos Mahogany		2200
Merbau		1925
Wenge		1630
Junkers' Beech		1630
Hard Maple		1450
White Oak		1360
Vint. Oak		1325
White Ash		1320
Black Walnut		1010
Teak		1000
Yellow Pine		690



FEATURES AT A GLANCE



**CO2
Neutral**



**Hard &
Durable**



**Fire
Safe**



**Dimensionally
Stable**



**Healthy
& Safe**



**Moisture
Proof**



**UV
Proof**



**Absolutely
Green
Product**

STRAND WOVEN BAMBOO CLADDING



Sustainable and Easy to Assemble Systems for Wall and Facade Cladding and Ceilings


With the strong stability to withstand temperature changes with no shrinking or swelling, Bamboo Cladding remains flat and in place, and this makes it suitable for very demanding applications.

Style your walls with our **Elegant & Sustainable Bamboo Cladding**

A SUSTAINABLE DECKING SOLUTION

The high-intensity compression process to eliminate sugar fragments from the bamboo strips makes the floorboard completely resistant to mildews, microorganisms. With this treatment Your bamboo deck will no longer be a food source for fungi and microorganisms.

Signature look of a bamboo deck



BAMBOO STRAND WOVEN OUTDOOR DECKING AND CLADDING





PRODUCT SPECIFICATIONS



Bamboo Outdoor Wall Cladding 18mm
Size – 1860*140*18mm

Colour & Code – Deep Carbonized DC041



Bamboo Outdoor Wall Cladding 18mm
Size – 1860*140*18mm

Colour & Code – Medium Carbonized MC041



PRODUCT SPECIFICATIONS



Bamboo Outdoor Wall Cladding 12mm
Size – 1860*140*12mm

Colour & Code – Deep Carbonized DC061



Bamboo Outdoor Wall Cladding 12mm
Size – 1860*140*12mm

Colour & Code – Medium Carbonized MC061



PRODUCT SPECIFICATIONS



Bamboo Outdoor Decking 20mm
Size – 1850*140*20mm

Colour & Code – Deep Carbonized DC021



Bamboo Outdoor Decking 20mm
Size – 1850*140*20mm

Colour & Code – Medium Carbonized MC021



LAMIWOOD FLOORS

**OUTDOOR BAMBOO
DECKING & CLADDING**

Follow Us

- Facebook** lamiwoodfloorings
- Twitter** lamiwood1
- Pinterest** lamiwoodfloors
- Instagram** lamiwood_flooring

