
Relay 2.0 CARPET TILES





GO BOLD GO RELAY



Bold, full of life and energy.

That was our inspiration for our Relay Collection.

Bright colours, bold lines all of which shout activity and energy.

Ideal for your office spaces which radiate a sense of dynamism.



















































LAYOUT PATTERNS


LAYOUT PATTERNS
































LAYOUT PATTERNS


LAYOUT PATTERNS






















SHIFT

RANGE



PLANK | AC: CT000076

BLUE



PLANK | AC: CT000075

DIVE



PLANK | AC: CT001148

GOLD



PLANK | AC: CT001149

LIME



PLANK | AC: CT001151

MIST



PLANK | AC: CT001153

ROCK



PLANK | AC: CT0001152

PASSAGE

PASSAGE

DIFFUSE



PLANK | AC: CT000085

TRACK



PLANK | AC: CT000084

WIRE




PLANK | AC: CT000167

ROUTE




PLANK | AC: CT000168

BLAZE



PLANK | AC: CT000170


COURSE



PLANK | AC: CT000171

WAVE

CABLE




PLANK | AC: CT000173

PRODUCT SPECIFICATION

	T
Machine	1/12 Infinity
Filament	69
Yarn Details	100% Nylon Type-6
Size in centimeter	25x100cm
GSM*	594
Finished pile thickness*	Up to 3 mm
Density	Min. 5800
Total thickness*	4-5 mm
Tufted pile wt OZ (Sq Yard)*	18
Dye method	Solution Dyed
Fiber Type	Nylon
Stitch 10 cm	43
Backing Material	PVC
PVC GSM	2000
No of pcs per box	20
Sqft/box	53.8
Sqm/box	5
Shape (Plank or tile)	Plank
SPI	11
Soil Release Technology	Perma Seal Env
GSA Stain Release Rating Foot Traffic	Pass
Recommendation TARR	Severe
*Tolerance (+-)%	5%

India's First Antiviral Flooring*



HealthyFloor™

Anti Bacterial
Anti Microbial
Grout Free Flooring
Anti Slip

*Test ed by **Biotech Labs, Mumbai**

WELSPUN CARPET TILES ADVANTAGES



Multiple Design Possibilities



Solution Dyed **Tufted Product**



Ideal For Heavy Foot Traffic



Stain Protect



Easy To Maintain



Easy To Install



Offers Sound Insulation



Reduces Wastage **During Installation**



Fade Resistant



Made in India



40% Less Environmental Footprint



TRADEMARKS & TECHNOLOGIES



NY6+™

For colors those don't fade out, Welspun Floorings Ny6+ ™ is made up of a highly resilient fiber that is known for its superior color retention, strength, stain and fade resistance. With all this, your floor always retains its beauty come what



Welspun Ecolite™

Welspun Ecolite[™] backing is made up of lightweight PVC that not only reduces the overall weight significantly but ensures a 40% less environment footprint than traditional carpets. Despite that, this backing retains the highest performance standards.



Now also available with **HealthyFloor**™ (Optional)

We also have carpet tiles options with antiviral property. Tested and certified by ResInnova labs, we are India's first antiviral carpet tiles. It kills 99.68 % human corona virus because of a special coating of silver iron and titanium oxide. We make healthy floors.



Comfortile™ (Optional)

With Comfortile™ backing, our tiles come with a customized felt-back that not only offers great underfoot comfort but also sound absorption. Comfortile™ provides extra levels of protection and support for high levels of acoustic and ergonomic

CERTIFICATIONS























