

Solid Hardwood FLOORING

18_{MM}

Real Wood Surface



Unique to the global market, InstaLay is a revolutionary, patented, flooring installation system that reduces sub-floor preparation and eliminates the need for wet adhesives. It significantly reduces labour times and makes installation quick, clean and simple. InstaLay adds comfort and sound absorption to improve the performance of solid and engineered wood floors in private homes, hospitality, retail, healthcare, multi-family housing, education facilities and more.

The InstaLay system has the benefit of being supported internally by recycled vulcanized rubber crumb granules, unlike traditional air filled textile, foam and plastic underlays. The advantages are that when InstaLay is compressed the rubber granules provide excellent cushioning performance, but when the pressure is released these granules immediately return to their original shape. In addition, they will not degrade over time and have excellent acoustic properties. InstaFloor and sister company InstaCoustic have been leading providers to the flooring market for over 25 years. During this time they have developed a reputation for providing high quality flooring products that give exceptional performance and are backed by first class customer service.

Benefits Of InstaLay Recycled Rubber Crumb Underlays

- Unique self-adhesive construction that considerably reduces installation times and costs
- Loose lay installation, without wet adhesives, for rapid fitting and easy future lifting
- Significantly reduces sub-floor preparation times as screeds or smoothing compounds are often not required
- Adhesive membrane removes the need for glue and nails
- Eliminates adhesive open time delays and early/late placement issues
- Quick to fit, easy to work with – no messy adhesives in contact with the floor covering
- Can be walked on immediately after the floor covering is installed
- Can be installed directly over existing floor coverings without causing damage
- Elastic cohesion compensates for seasonal movement
- Two adhesive types to choose from – high grab and low grab
- Adhesive membrane provides perfect adhesion and enhances the click joint system
- Provides superb stability, performance and durability, particularly in concentrated high foot traffic areas
- Manufactured using recycled rubber crumb, providing comfort and long lasting acoustic performance
- Hygienic - naturally anti-microbial, anti-allergy, non-absorbent and resistant to decay
- Low VOC's for a healthier environment
- Environmentally friendly and fully recyclable
- Will not deteriorate or collapse over time
- Can be used with underfloor heating systems
- Guaranteed for 10 years



Environmentally Friendly

- Made from recycled tyre rubber
- Bonded with synthetic rubber
- Fully recyclable – 'Cradle to Cradle'

Solid Hardwood

FLOORING



Real
WOOD
SURFACE



American Walnut

One Box Contains

Plank Size : 18 x 125 x 600-1200mm

Quantity : 22.93sqft

 LAMIWOOD
FLOORS

Solid Hardwood

FLOORING



Real
WOOD
SURFACE

Oak Toast

One Box Contains

Plank Size : 18 x 125 x 910mm

Quantity : 19.59 sqft

 LAMIWOOD
FLOORS

Solid Hardwood

FLOORING



Real
WOOD
SURFACE



Oak Coffee

One Box Contains

Plank Size : 18 x 125 x 910mm

Quantity : 19.59 sqft

 LAMIWOOD
FLOORS

Solid Hardwood

FLOORING



Real
WOOD
SURFACE



White Oak

One Box Contains

Plank Size : 18 x 125 x 910mm

Quantity : 19.59 sqft

 LAMIWOOD
FLOORS

Solid Hardwood

FLOORING



Real
WOOD
SURFACE



Wild Hazel

One Box Contains

Plank Size : 18 x 123 x 450-1830mm

Quantity : 22.56 sqft

Solid Hardwood

FLOORING



Real
WOOD
SURFACE

Sylvaket


One Box Contains

Plank Size : 18 x 123 x 450-1830mm

Quantity : 22.56 sqft

Solid Hardwood

FLOORING



Real
WOOD
SURFACE



Teak

One Box Contains

Plank Size : 18 x 123 x 450-1830mm

Quantity : 22.56 sqft

Solid Hardwood

FLOORING



Real
WOOD
SURFACE



Raw Sugar

One Box Contains

Plank Size : 18 x 123 x 450-1830mm

Quantity : 22.56 sqft

